

Plum-Late-Fall Weed Survey

Supplement to UC IPM Pest Management Guidelines: Plum

Grower/Orchard:	Date:
Comments:	
Mechanical Control/Herbicide/Application Date:	

Directions:

- After first rains, look for winter annuals in tree rows to check the effectiveness of any preemergent herbicide applications.
- 2. Check the ground cover in row middles for perennial seedlings. Perennials are unwanted in any area of the orchard.
- Use the checklist to record weeds in your orchard and use the map to show the areas in which you found specific problematic weeds.
 Rate infestation either using a numeric scale from 1 to 5 (1 being lightest), or use "light," "medium," or "heavy."

Weed Seedlings	Row middles	Rows
Annual broadleaves		
cudweed		
fiddlenecks		
filaree		
groundsel, common		
henbit		
lettuce, miner's		
mallow, little (cheeseweed)		
mustards		
nettle, burning		
pineapple-weed		
polypogon, rabbitfoot		
radish, wild		
redmaids (desert rockpurslane)		
rocket, London		
shepherd's-purse		
Annual grasses		
barley, hare (wild)		
bluegrass, annual		
bromegrasses		
canarygrass		
oat, wild		
panicum, fall		
ryegrasses		

Weed Seedlings	Row middles	Rows		
Perennial broadleaves				
bindweed, field				
blackberries, wild				
clovers				
strawberry clover				
white clover				
dandelion				
dock, curly				
fluvellins				
oxalis				
plaintain, buckhorn				
Perennial grasses				
bermudagrass				
dallisgrass				
fescues				
johnsongrass				
Other perennials				
nutsedge				
Mature annual weeds in tree row				

Grower/Orchard:	Date:
Comments:	
Map your orchard weeds	
N	
,	

