



Sampling for Insects Monitored using Pheromone Traps and Degree-days

www.ipm.ucdavis.edu

Supplement to UC IPM Pest Management Guidelines: Walnut

Grower/Orchard: _____

Insect monitored: _____

Trapping period: From _____ to _____

Bottoms changed: _____

Caps or bait changed: _____

Comments: _____

| Date | Temperature (°F) | | Degree-days | | Trap counts | | | | | Average (insects/trap/day) | |
|------|------------------|-----|-------------|--------|-------------|--------|--------|--------|--------|----------------------------|--|
| | Max | Min | For day | Accum. | Trap 1 | Trap 2 | Trap 3 | Trap 4 | Trap 5 | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |